






DAKOTA ULTRASONICS

Dual Element Corrosion Thickness Gauges - Price List

Date: 01/01/18

All gauges are packaged in an all aluminum case making them the most durable gauges on the market.







| Models | Features | Part # | Price US |
|---|--|------------|----------|
| MX-1  | Single velocity gauge. Velocity is set via RS232 port. Backlit display. | Z-139-0001 | 1025.00 |
| MX-2  | 10 total velocities, 8 set velocities in memory, 2 additional velocities can be set via RS232 port. Backlit Display. | Z-140-0001 | 1225.00 |
| MX-3  | Field Calibration of all materials, High Speed Scanning, and Backlit Display. | Z-112-0001 | 1450.00 |
| MX-5  | Same features as the MX-3 plus Alarm Mode, Differential Mode, and Data Output port. | Z-114-0001 | 1525.00 |
| MX-5 DL  | Same features as the MX-5 plus an On-Board Data Logger - Stores 1000 readings in 10 groups of 100. Unit includes Transfer Cables & Software. | Z-115-0001 | 1725.00 |

DAKOTA ULTRASONICS




1500 Green Hills Road, #107 Scotts Valley, CA 95066

Phone: (831) 431-9722 Fax: (831) 431-9723 www.dakotaultrasonics.com

Prices subject to change without notice: please call for an updated price list.

| Models | Features | Part # | Price US |
|---|---|------------|----------|
| VX  | VX displays the velocity of the material. Field Calibration, High Speed Scanning and Backlit Display. | Z-138-0001 | 1625.00 |
| UMX  | Take your MX-1 or 3 underwater. 300' depth rating. | A-112-6004 | 925.00 |
| MMX-6  | Same features as the MX-3 plus Alarm Mode, Dual Multi Mode, and Data Output port. Thru-Paint range: .100" – 1.0", coating max: .040". Includes 5MHz HD probe. | Z-142-0001 | 1725.00 |
| MMX-6 ER  | Same features as the MX-3 plus Alarm Mode, Dual Multi Mode, and Data Output port. Thru-Paint range: .125" – 4.0", coating max: .075". Includes 3.5MHz HD probe. | Z-142-0002 | 1725.00 |
| MMX-6DL  | Same features as the MMX-6 plus an On-Board Data Logger – Stores 1000 readings in 10 groups of 100. Thru-Paint range: .100" – 1.0". Includes 5MHz HD probe. | Z-143-0001 | 2025.00 |
| MMX-6 DL ER  | Same features as the MMX-6 plus an On-Board Data Logger – Stores 1000 readings in 10 groups of 100. Thru-Paint range: .125" – 4.0". Includes 3.5MHz HD probe. | Z-143-0002 | 2025.00 |

| Models | Features | Part # | Price US |
|---|---|------------|----------|
| MMX-7  | All the features of the MMX gauges with a Time Based B-Scan, Thru-Paint. Data Logger – Stores 12000 readings & waveforms. Unit includes Transfer Cables & Software. | Z-160-0001 | 2125.00 |
| MVX A/B Scope  | A/B Scan Scope with all the features of the MMX Gauges. Data Logger – Stores 12000 readings & waveforms. Unit includes Transfer Cables & Software. | Z-149-0001 | 2625.00 |
| UMX  | Take your MMX-6 underwater. 300' depth rating. | A-112-6004 | 925.00 |
| CMX  | All the features of the MMX-7 plus Coating Modes, Auto Probe Zero, Auto Probe Recognition and Temperature Compensation – No Data Logger. | Z-170-0001 | 1925.00 |
| CMXDL  | Same features of the CMX plus Data Logger – Stores 16,000+ readings with B-Scans or 210,000 readings without B-Scans. Unit includes Transfer Cables & Software. | Z-171-0001 | 2325.00 |

| Models | Features | Part # | Price US |
|--|---|------------|----------|
| CMXDL+  | Same features of the CMXDL, with an A/B Scan Scope, 3 independent gates, and additional features. | Z-172-0001 | 3025.00 |
| CMXDL+  | Same features of the CMXDL, with an A/B Scan Scope, AMOLED color VGA, 120Hz screen refresh rate, 3 independent gates, and additional features. | Z-187-0001 | 3295.00 |
| UMX-2  | Underwater depth rating of 1000 ft. Optional dual or single membrane probes, auto probe recognition and zero, w/multiple measuring modes: Dual - P-E (pit & flaw), E-E (Thru-paint), PECT (coating, base material, pit & flaw). Single - Triple Echo (TCG). Eight preset material types, and one custom programmable. Five position gain switch. Data Logger – 5,000 readings & waveform capture. | Z-185-0001 | 3495.00 |
| Kit Includes: | Unit, Standard Transducer, Couplant, Manual, Plastic Carrying Case, Certificate of Calibration and AA Batteries. PC Software and Data Transfer Cables included with data logging & programmable gauges. UMX Series: also includes spare gaskets and lubrication set. | | |